

DRIVING RECORDING SYSTEM



OPERATING INSTRUCTIONS

Before operating this set, please read these instructions completely

CAR BALCK BOX OPERATING INSTRUCTIONS

Congratulations for purchasing our mobile DVR products, before connecting, operating or adjusting this product, please read these instructions compictly to make you particular mobile multimedia products to best perform

1. Do not repair it by yourself, if any trouble occurs, please immediately shuts it off and contact our company or local dealer.

This car black box is composed of many precise electronic components, any detachment or reassembling may result damages to the set.

2. Do not exposed it in humid air, dust, vapor, oil lampblack, sunlight, etc.

3. Do not use thinner or any other chemical cleaner. Please choose soft cloth to clean the dirt on the camera.

4. Keep the DVR far from extremely heating or cooling places.

Storage temperature: -20~70℃

Operating temperature: -30~80℃

5. Prevent the set from falling or struck.

Caution

To ensure security, please do not operate the DVR watch video or it while driving.

CAR BALCK BOX OPERATING INSTRUCTIONS

Accessories

Cigarette lighter cable to get power

Video output cable

USB cable to connect PC

Bracket


CAR BALCK BOX OPERATING INSTRUCTIONS

Setup Mode

| | |
|-----------------|-------------------------------------|
| First Mode | Video |
| Time Setup | Enter |
| Resolution | 1280*720/960*720/640*480 |
| Time slice(min) | 1/2/3/4/5/6/7/8/9/10/20/30/40/50/60 |
| Frame(fps) | 30/40/50/60 |
| Save&Exit | Save&Exit |

Press "REC" button to move down options, then press "MENU" button to select specific values. Move to "Save & Exit" option to save and exit after selection finished.

3. Play Mode



Press "REC" button to select recording file, then press "PLAY" button to play single video file, press it again will pause.

4. In any state, press "PLAY" button two seconds, it will save the files and automatically power off in three seconds, then pull out the cigarette lighter.

CAR BALCK BOX OPERATING INSTRUCTIONS

Built-in 5000,000 pixels high resolution camera.

Recording resolution: 1280×720 / 960×720 / 640×480.

Recording frame rate: 60/50/40/30 fps.

Supports real time playback.

Recording mode: automatic records when car power is on.

Record image + time + data.

Built-in microphone.

Circular records automatically, over-write if memory is full.

Supports up to 32G SD card.

USB port: connect to computer for backup.

Car cigarette lighter power supply, easy installation.

After car power is off, Li-ion battery will provide power to prevent video files loosing.

Power supply: DC 12V

Working voltage/current: DC 5V/400mA.

Unique function:

5000,000 pixels high resolution camera.


Supports real time playback.

Highest resolution: 1280×720/30fps


Highest recording frame: 60fps/640×480

CAR BALCK BOX OPERATING INSTRUCTIONS


Pull in the cigarette lighter, it starts to work automatically, and enter into record mode, the REC red dot appears.



1. Press "REC" button, it stops record, the REC red dot will disappear.



Press "REC" button again, it starts to record again.




CAR BALCK BOX OPERATING INSTRUCTION

2. In state of stop record

Press "MENU" button, enter into "Setup Mode"

| | |
|-----------------|-------------------------------------|
| First Mode | Video |
| Time Setup | Enter |
| Resolution | 1280*720/960*720/640*480 |
| Time slice(min) | 1/2/3/4/5/6/7/8/9/10/20/30/40/50/60 |
| Frame(fps) | 30/40/50/60 |
| Save&Exit | Save&Exit |

Press it the second time, enter into "Play Mode"



Press the third time will enter into "Record Mode"



The three modes cycle continue when repeating the operation.